Docket No.: 0230-0162P

AMENDMENTS TO THE CLAIMS

1. - 23. (Cancelled)

24. (Previously presented) A method of treating a tumor which comprises administering to a subject in need thereof an effective amount of an extract of *Lentinus edodes* mycelium to enhance $\gamma \delta T$ cell activity, which is prepared by

crushing and delignifying a solid medium containing *Lentinus edodes* mycelia in the presence of water and one or more enzymes selected from cellulase, protease and glucosidase to prepare a suspension, wherein said solid medium is based on bagasse and defatted rice bran; and raising temperature of said suspension to inactivate the enzymes.

- 25. (Currently Amended) The method of treating a tumor of claim 24, which comprises administering to a subject in need thereof an effective amount of the extract from Lentinus Lentinus edodes mycelium, wherein said extract comprises carbohydrates, proteins, polyphenols, crude fat, crude ash and soluble nitrogen-free materials other than carbohydrates, to enhance $\gamma\delta T$ cell activity.
- 26. (Currently Amended) A method of treating a bacterial or viral infection, which comprises

administering to a subject in need thereof, using oral administration or injection, an effective amount of an extract of *Lentinus edodes* mycelium to enhance $\gamma\delta T$ cell activity, which is prepared by

crushing and delignifying a solid medium containing *Lentinus edodes* mycelia in the presence of water and one or more enzymes selected from cellulase, protease and glucosidase to prepare a suspension, wherein said solid medium is based on bagasse and defatted rice bran; and

raising temperature of said suspension to inactivate the enzymes, provided that the viral infection is not <u>Hepatitis B or HIV</u> infection.

- 27. (Currently Amended) The method of treating a bacterial or viral infection of claim 26, which comprises administering to a subject in need thereof an effective amount of the extract from *Letinus edodes* <u>mycelium</u>, wherein said extract comprises carbohydrates, proteins, polyphenols, crude fat, crude ash and soluble nitrogen-free materials other than carbohydrates, to enhance γδT cell activity, provided that the viral infection is not **Hepatitis B or** HIV infection.
- 28. (Previously presented) The method of claim 26 or 27, wherein said infection is an infection by Mycobacterium, spp.
- 29. (Previously presented) The method of claim 26 or 27, wherein said infection is an infection by Listeria monocytogenes.
- 30. (Previously presented) The method of claim 26 or 27, wherein said infection is an infection by Hepatitis A.
 - 31. (Cancelled)
- 32. (Previously presented) The method of claim 26 or 27, wherein said infection is an infection by Hepatitis C.
 - 33. (Cancelled)
- 34. (Previously presented) The method of claim 26 or 27, wherein said infection is an infection by vaccinia virus.

- 35. (Previously presented) The method for treating a tumor of claim 24, which comprises administering to a subject in need thereof an effective amount of the extract comprising approximately 25.3% carbohydrates, 19.7% proteins, 2.6% polyphenols, 8% crude fat, 22% crude ash and 20% soluble nitrogen-free materials other than carbohydrates.
- 36. (Previously presented) The method of claim 24, wherein said extract is suitable for oral administration.
- 37. (Previously presented) The method of claim 24, wherein said extract is suitable for injection or percutaneous absorption.
- 38. (Currently Amended) A method for activating $\gamma \delta T$ in vivo by administering to an animal an extract of *Lentinus edodes mycelium* mycelium, which is prepared by

crushing and delignifying a solid medium containing *Lentinus edodes mycelia* mycelia in the presence of water and one or more enzymes selected from cellulase, protease and glucosidase to prepare a suspension, wherein said solid medium is based on bagasse and defatted rice bran; and

raising temperature of said suspension to inactivate the enzymes.